

TEKNİK ÖZELLİKLER

1/4” (DN 08) – 3” (DN 80)
Tek veya Çift Akışkan Geçişli
Rulman Yataklama
Radyal Tip Gövde Bağlantılı
Basınç Dengeleyici Sızdırmazlık Grubu
Paslanmaz Çelik Gövde
Paslanmaz Çelik Şaft
Diş Bağlantılı ve Flanş Bağlantılı Seçenekler
Gövde Üzerinde 3 Adet Sızıntı ve Havalandırma Deliği
Su, Sıcak Su ve Gıda Sektöründe Kullanılır

ÇALIŞMA LİMİTLRİ


Maksimum Su Basıncı: 50 Bar
Maksimum Su Sıcaklığı: 60 °C
Maksimum Sıcak Su Basıncı: 5 Bar
Maksimum Sıcak Su Sıcaklığı: 120 °C
Maksimum Hız:
DN08-DN15 ..... 3500 devir/dk
DN20-DN25 ..... 3000 devir/dk
DN32-DN40 ..... 2500 devir/dk
DN50-DN65 ..... 1000 devir/dk
DN80 ..... 800 devir/dk


TECHNICAL FEATURES

1/4” (DN 08) – 3” (DN 80)
Single or Double Fluid Transfer
Bearing System
Radial Type Housing Connection
Pressure Balanced Sealing System
Stainless Steel Housing
Stainless Steel Shaft
Thread or Flange Connections
Having 3 Leakage Holes and Air Vents on the Housing
Applicable to Water, Hot Water and Food Industry

OPERATING RANGES

Maximum Water Pressure: 50 Bar
Maximum Water Temperature: 60 °C
Maximum Hot Water Pressure: 5 Bar
Maximum Hot Water Temperature: 120 °C
Maximum Speed:
DN08-DN15 ..... 3500 rev./min
DN20-DN25 ..... 3000 rev./min
DN32-DN40 ..... 2500 rev./min
DN50-DN65 .....1000 rev./min
DN80 ..... 800 rev./min






1000ix SERİSİ TEK AKIŞLI BAŞLIK / 1000ix SERIES MONOFLOW ROTARY JOINT

DN	Rotor Bağlantı Tipi Rotor Mounting Type	Ürün Kodu Product No.	A A (H8)	B	D	E	F	G	H	I	K	SW	L	N	P	U	Kg ≈
DN08	NPT-SAĞ (RH)	1025ix-027-103	1/4 NPT	G 1/4	6,4	44	27	13	50	19	89	17	---	---	---	---	0,7
	NPT-SOL (LH)	1025ix-027-104	1/4 NPT	G 1/4	6,4	44	27	13	50	19	89	17	---	---	---	---	0,7
	BSP-SAĞ (RH)	1025ix-027-203	G 1/4	G 1/4	6,4	44	27	13	50	19	89	17	---	---	---	1,5	0,7
	BSP-SOL (LH)	1025ix-027-204	G 1/4	G 1/4	6,4	44	27	13	50	19	89	17	---	---	---	1,5	0,7
DN10	NPT-SAĞ (RH)	1037ix-027-105	3/8 NPT	G 3/8	10	46	30	14	59	23	102	19	---	---	---	---	0,8
	NPT-SOL (LH)	1037ix-027-106	3/8 NPT	G 3/8	10	46	30	14	59	23	102	19	---	---	---	---	0,8
	BSP-SAĞ (RH)	1037ix-027-205	G 3/8	G 3/8	10	46	30	14	59	23	102	19	---	---	---	1,5	0,8
	BSP-SOL (LH)	1037ix-027-206	G 3/8	G 3/8	10	46	30	14	59	23	102	19	---	---	---	1,5	0,8
DN15	NPT-SAĞ (RH)	1050ix-027-107	1/2 NPT	G 1/2	15	59	33	15	66	29,5	113	27	---	---	---	---	1,4
	NPT-SOL (LH)	1050ix-027-108	1/2 NPT	G 1/2	15	59	33	15	66	29,5	113	27	---	---	---	---	1,4
	BSP-SAĞ (RH)	1050ix-027-207	G 1/2	G 1/2	15	59	33	15	66	29,5	113	27	---	---	---	1,5	1,4
	BSP-SOL (LH)	1050ix-027-208	G 1/2	G 1/2	15	59	33	15	66	29,5	113	27	---	---	---	1,5	1,4
	METRİK-SAĞ (RH)	1050ix-027-307	M 20 x 1,5	G 1/2	15	59	32	14	66	29,5	112	27	---	---	---	1,5	1,4
	METRİK-SOL (LH)	1050ix-027-308	M 20 x 1,5	G 1/2	15	59	32	14	66	29,5	112	27	---	---	---	1,5	1,4
	QR	1050ix-027-400	20,65	G 1/2	15	59	33	---	66	---	113	---	19,1	15	9,5	1,5	1,3
	QR1	1050ix-027-410	24	G 1/2	15	59	33	---	66	---	113	---	22	11	6	1,5	1,4
DN20	NPT-SAĞ (RH)	1075ix-027-109	3/4 NPT	G 3/4	20	66	38	18	70	34,5	126	30	---	---	---	---	1,8
	NPT-SOL (LH)	1075ix-027-110	3/4 NPT	G 3/4	20	66	38	18	70	34,5	126	30	---	---	---	---	1,8
	BSP-SAĞ (RH)	1075ix-027-209	G 3/4	G 3/4	20	66	38	18	70	34,5	126	30	---	---	---	2	1,8
	BSP-SOL (LH)	1075ix-027-210	G 3/4	G 3/4	20	66	38	18	70	34,5	126	30	---	---	---	2	1,8
	METRİK-SAĞ (RH)	1075ix-027-309	M 27 x 1,5	G 3/4	20	66	35	15	70	34,5	123	30	---	---	---	2	1,8
	METRİK-SOL (LH)	1075ix-027-310	M 27 x 1,5	G 3/4	20	66	35	15	70	34,5	123	30	---	---	---	2	1,8
	QR	1075ix-027-400	26	G 3/4	20	66	38	---	70	---	126	---	24,2	17,5	11,1	1,5	1,7
	QR1	1075ix-027-410	30	G 3/4	20	66	38	---	70	---	126	---	28	14,5	8	1,5	1,8
DN25	NPT-SAĞ (RH)	1100ix-027-111	1 NPT	G 1	25	74	50	22	83	39,5	155	36	---	---	---	---	2,7
	NPT-SOL (LH)	1100ix-027-112	1 NPT	G 1	25	74	50	22	83	39,5	155	36	---	---	---	---	2,7
	BSP-SAĞ (RH)	1100ix-027-211	G 1	G 1	25	74	50	22	83	39,5	155	36	---	---	---	2	2,7
	BSP-SOL (LH)	1100ix-027-212	G 1	G 1	25	74	50	22	83	39,5	155	36	---	---	---	2	2,7
	METRİK-SAĞ (RH)	1100ix-027-311	M 35 x 1,5	G 1	25	74	43	15	83	42	148	36	---	---	---	2	2,7
	METRİK-SOL (LH)	1100ix-027-312	M 35 x 1,5	G 1	25	74	43	15	83	42	148	36	---	---	---	2	2,7
	QR	1100ix-027-400	32,41	G 1	25	74	50	---	83	---	155	---	30,8	17,5	11,1	2	2,6
	QR1	1100ix-027-410	35	G 1	25	74	50	---	83	---	155	---	33	14,5	8	2	2,6
DN32	NPT-SAĞ (RH)	1125ix-027-113	1 1/4 NPT	G 1 1/4	32	89	55	26	97	49,5	178	46	---	---	---	---	4,4
	NPT-SOL (LH)	1125ix-027-114	1 1/4 NPT	G 1 1/4	32	89	55	26	97	49,5	178	46	---	---	---	---	4,4
	BSP-SAĞ (RH)	1125ix-027-213	G 1 1/4	G 1 1/4	32	89	55	26	97	49,5	178	46	---	---	---	2	4,4
	BSP-SOL (LH)	1125ix-027-214	G 1 1/4	G 1 1/4	32	89	55	26	97	49,5	178	46	---	---	---	2	4,4
	QR	1125ix-027-400	41,15	G 1 1/4	32	89	55	---	97	---	178	---	39,6	19	12,7	2	4,3
	QR1	1125ix-027-410	45	G 1 1/4	32	89	55	---	97	---	178	---	43	14,5	8	2	4,4
DN40	NPT-SAĞ (RH)	1150ix-027-115	1 1/2 NPT	G 1 1/2	38	108	62	29	105	62	197	55	---	---	---	---	7,2
	NPT-SOL (LH)	1150ix-027-116	1 1/2 NPT	G 1 1/2	38	108	62	29	105	62	197	55	---	---	---	---	7,2
	BSP-SAĞ (RH)	1150ix-027-215	G 1 1/2	G 1 1/2	38	108	62	29	105	62	197	55	---	---	---	2	7,2
	BSP-SOL (LH)	1150ix-027-216	G 1 1/2	G 1 1/2	38	108	62	29	105	62	197	55	---	---	---	2	7,2
	METRİK-SAĞ (RH)	1150ix-027-315	M 50 x 1,5	G 1 1/2	38	108	56	23	105	62	191	55	---	---	---	2,5	7,2
	METRİK-SOL (LH)	1150ix-027-316	M 50 x 1,5	G 1 1/2	38	108	56	23	105	62	191	55	---	---	---	2,5	7,2
	QR	1150ix-027-400	47,60	G 1 1/2	38	108	62	---	105	---	197	---	45	22,2	12,7	2	6,9
	QR1	1150ix-027-410	50	G 1 1/2	38	108	62	---	105	---	197	---	48	17	10	2	7
DN50	NPT-SAĞ (RH)	1200ix-027-117	2 NPT	G 2	50	118	65	29	121	69,8	227	65	---	---	---	---	9,5
	NPT-SOL (LH)	1200ix-027-118	2 NPT	G 2	50	118	65	29	121	69,8	227	65	---	---	---	---	9,5
	BSP-SAĞ (RH)	1200ix-027-217	G 2	G 2	50	118	65	29	121	69,8	227	65	---	---	---	2,5	9,5
	BSP-SOL (LH)	1200ix-027-218	G 2	G 2	50	118	65	29	121	69,8	227	65	---	---	---	2,5	9,5
	QR	1200ix-027-400	59,10	G 2	50	118	65	---	121	---	227	---	56,6	28,5	15,9	2,5	9,2
	QR1	1200ix-027-410	65	G 2	50	118	65	---	121	---	227	---	63	17,5	10	2,5	9,5
DN65	NPT-SAĞ (RH)	1250ix-027-121	2 1/2 NPT	G 2 1/2	60	149	71	30	133	87	248	79	---	---	---	---	16,4
	NPT-SOL (LH)	1250ix-027-122	2 1/2 NPT	G 2 1/2	60	149	71	30	133	87	248	79	---	---	---	---	16,4
	BSP-SAĞ (RH)	1250ix-027-221	G 2 1/2	G 2 1/2	64	149	71	30	133	87	248	79	---	---	---	2,5	16,4
	BSP-SOL (LH)	1250ix-027-222	G 2 1/2	G 2 1/2	64	149	71	30	133	87	248	79	---	---	---	2,5	16,4
	QR	1250ix-027-400	72,21	G 2 1/2	60	149	71	---	133	---	248	---	69,7	28,5	19	2,5	15,9
	QR1	1250ix-027-410	85	G 2 1/2	64	149	71	---	133	---	248	---	82	17	10	2,5	16,7
DN80	NPT-SAĞ (RH)	1300ix-021-123	3 NPT	G 3	75	177	83	35	160	108	303	99	---	---	---	---	29,3
	NPT-SOL (LH)	1300ix-021-124	3 NPT	G 3	75	177	83	35	160	108	303	99	---	---	---	---	29,3
	BSP-SAĞ (RH)	1300ix-021-223	G 3	G 3	75	177	83	35	160	108	303	99	---	---	---	2,5	29,3
	BSP-SOL (LH)	1300ix-021-224	G 3	G 3	75	177	83	35	160	108	303	99	---	---	---	2,5	29,3
	QR	1300ix-021-400	87,35	G 3	75	177	83	---	160	---	303	---	84,2	34	22,2	2,5	28,4
	QR1	1300ix-021-410	105	G 3	75	177	83	---	160	---	303	---	102	20	12	2,5	30
	QR2	1300ix-021-420	105	G 3	75	177	83	---	160	---	303	---	102	34	30	2,5	29,9

1000 inox SERIES



1000ix SERİSİ ÇİFT AKIŞLI BAŞLIK / 1000ix SERIES DUOFLOW ROTARY JOINT

DN	Rotor Bağlantı Tipi Rotor Mounting Type	Ürün Kodu Product No.	A A (H8)	B	C	D	E	F	G	H	H1	I	K	SW	L	L1	L2 min	N	P	R Std. - Alt.	S Std. - Alt.	U	Kg ≈
DN10	NPT-SAĞ (RH)	1037ix-027-105 D	3/8 NPT	G 3/8	G 1/4	10	46	30	14	59	38	23	127	19	---	76	7	---	---	M6	G1/4 - G1/8	---	0,9
	NPT-SOL (LH)	1037ix-027-106 D	3/8 NPT	G 3/8	G 1/4	10	46	30	14	59	38	23	127	19	---	76	7	---	---	M6	G1/4 - G1/8	---	0,9
	BSP-SAĞ (RH)	1037ix-027-205 D	G 3/8	G 3/8	G 1/4	10	46	30	14	59	38	23	127	19	---	76	7	---	---	M6	G1/4 - G1/8	1,5	0,9
	BSP-SOL (LH)	1037ix-027-206 D	G 3/8	G 3/8	G 1/4	10	46	30	14	59	38	23	127	19	---	76	7	---	---	M6	G1/4 - G1/8	1,5	0,9
DN15	NPT-SAĞ (RH)	1050ix-027-107 D	1/2 NPT	G 1/2	G 3/8	15	59	33	15	66	46	29,5	145	27	---	84	7	---	---	G1/8 - G1/4	G3/8 - G1/4	---	1,6
	NPT-SOL (LH)	1050ix-027-108 D	1/2 NPT	G 1/2	G 3/8	15	59	33	15	66	46	29,5	145	27	---	84	7	---	---	G1/8 - G1/4	G3/8 - G1/4	---	1,6
	BSP-SAĞ (RH)	1050ix-027-207 D	G 1/2	G 1/2	G 3/8	15	59	33	15	66	46	29,5	145	27	---	84	7	---	---	G1/8 - G1/4	G3/8 - G1/4	1,5	1,6
	BSP-SOL (LH)	1050ix-027-208 D	G 1/2	G 1/2	G 3/8	15	59	33	15	66	46	29,5	145	27	---	84	7	---	---	G1/8 - G1/4	G3/8 - G1/4	1,5	1,6
	METRİK-SAĞ (RH)	1050ix-027-307 D	M20 x 1,5	G 1/2	G 3/8	15	59	32	14	66	46	29,5	144	27	---	84	7	---	---	G1/8 - G1/4	G3/8 - G1/4	1,5	1,6
	METRİK-SOL (LH)	1050ix-027-308 D	M20 x 1,5	G 1/2	G 3/8	15	59	32	14	66	46	29,5	144	27	---	84	7	---	---	G1/8 - G1/4	G3/8 - G1/4	1,5	1,6
	QR	1050ix-027-400 D	20,65	G 1/2	G 3/8	15	59	33	---	66	46	---	145	---	19,1	84	7	15	9,5	G1/8 - G1/4	G3/8 - G1/4	1,5	1,6
	QR1	1050ix-027-410 D	24	G 1/2	G 3/8	15	59	33	---	66	46	---	145	---	22	84	7	11	6	G1/8 - G1/4	G3/8 - G1/4	1,5	1,6
DN20	NPT-SAĞ (RH)	1075ix-027-109 D	3/4 NPT	G 3/4	G 1/2	20	66	38	18	70	54	34,5	162	30	---	94	10	---	---	G1/4 - G3/8	G1/2 - G3/8	---	2
	NPT-SOL (LH)	1075ix-027-110 D	3/4 NPT	G 3/4	G 1/2	20	66	38	18	70	54	34,5	162	30	---	94	10	---	---	G1/4 - G3/8	G1/2 - G3/8	---	2
	BSP-SAĞ (RH)	1075ix-027-209 D	G 3/4	G 3/4	G 1/2	20	66	38	18	70	54	34,5	162	30	---	94	10	---	---	G1/4 - G3/8	G1/2 - G3/8	2	2
	BSP-SOL (LH)	1075ix-027-210 D	G 3/4	G 3/4	G 1/2	20	66	38	18	70	54	34,5	162	30	---	94	10	---	---	G1/4 - G3/8	G1/2 - G3/8	2	2
	METRİK-SAĞ (RH)	1075ix-027-309 D	M27 x 1,5	G 3/4	G 1/2	20	66	35	15	70	54	34,5	159	30	---	94	10	---	---	G1/4 - G3/8	G1/2 - G3/8	2	2
	METRİK-SOL (LH)	1075ix-027-310 D	M27 x 1,5	G 3/4	G 1/2	20	66	35	15	70	54	34,5	159	30	---	94	10	---	---	G1/4 - G3/8	G1/2 - G3/8	2	2
	QR	1075ix-027-400 D	26	G 3/4	G 1/2	20	66	38	---	70	54	---	162	---	24,2	94	10	17,5	11,1	G1/4 - G3/8	G1/2 - G3/8	1,5	2
	QR1	1075ix-027-410 D	30	G 3/4	G 1/2	20	66	38	---	70	54	---	162	---	28	94	10	14,5	8	G1/4 - G3/8	G1/2 - G3/8	1,5	2
DN25	NPT-SAĞ (RH)	1100ix-027-111 D	1 NPT	G 1	G 3/4	25	74	50	22	83	62	39,5	195	36	---	110	10	---	---	G3/8 - G1/2	G3/4 - G1/2	---	3,2
	NPT-SOL (LH)	1100ix-027-112 D	1 NPT	G 1	G 3/4	25	74	50	22	83	62	39,5	195	36	---	110	10	---	---	G3/8 - G1/2	G3/4 - G1/2	---	3,2
	BSP-SAĞ (RH)	1100ix-027-211 D	G 1	G 1	G 3/4	25	74	50	22	83	62	39,5	195	36	---	110	10	---	---	G3/8 - G1/2	G3/4 - G1/2	2	3,2
	BSP-SOL (LH)	1100ix-027-212 D	G 1	G 1	G 3/4	25	74	50	22	83	62	39,5	195	36	---	110	10	---	---	G3/8 - G1/2	G3/4 - G1/2	2	3,2
	METRİK-SAĞ (RH)	1100ix-027-311 D	M35 x 1,5	G 1	G 3/4	25	74	43	15	83	62	42	188	36	---	110	10	---	---	G3/8 - G1/2	G3/4 - G1/2	2	3,2
	METRİK-SOL (LH)	1100ix-027-312 D	M35 x 1,5	G 1	G 3/4	25	74	43	15	83	62	42	188	36	---	110	10	---	---	G3/8 - G1/2	G3/4 - G1/2	2	3,2
	QR	1100ix-027-400 D	32,41	G 1	G 3/4	25	74	50	---	83	62	---	195	---	30,8	110	10	17,5	11,1	G3/8 - G1/2	G3/4 - G1/2	2	3,1
	QR1	1100ix-027-410 D	35	G 1	G 3/4	25	74	50	---	83	62	---	195	---	33	110	10	14,5	8	G3/8 - G1/2	G3/4 - G1/2	2	3,1
DN32	NPT-SAĞ (RH)	1125ix-027-113 D	1 1/4 NPT	G 1 1/4	G 1	32	89	55	26	97	70	49,5	222	46	---	130	13	---	---	G1/2 - G3/4	G1 - G3/4	---	5,2
	NPT-SOL (LH)	1125ix-027-114 D	1 1/4 NPT	G 1 1/4	G 1	32	89	55	26	97	70	49,5	222	46	---	130	13	---	---	G1/2 - G3/4	G1 - G3/4	---	5,2
	BSP-SAĞ (RH)	1125ix-027-213 D	G 1 1/4	G 1 1/4	G 1	32	89	55	26	97	70	49,5	222	46	---	130	13	---	---	G1/2 - G3/4	G1 - G3/4	2	5,2
	BSP-SOL (LH)	1125ix-027-214 D	G 1 1/4	G 1 1/4	G 1	32	89	55	26	97	70	49,5	222	46	---	130	13	---	---	G1/2 - G3/4	G1 - G3/4	2	5,2
	QR	1125ix-027-400 D	41,15	G 1 1/4	G 1	32	89	55	---	97	70	---	222	---	39,6	130	13	19	12,7	G1/2 - G3/4	G1 - G3/4	2	5,1
	QR1	1125ix-027-410 D	45	G 1 1/4	G 1	32	89	55	---	97	70	---	222	---	43	130	13	14,5	8	G1/2 - G3/4	G1 - G3/4	2	5,2
DN40	NPT-SAĞ (RH)	1150ix-027-115 D	1 1/2 NPT	G 1 1/2	G 1 1/4	38	108	62	29	105	78	62	245	55	---	141	13	---	---	G3/4 - G1	G1 1/4 - G1	---	8,6
	NPT-SOL (LH)	1150ix-027-116 D	1 1/2 NPT	G 1 1/2	G 1 1/4	38	108	62	29	105	78	62	245	55	---	141	13	---	---	G3/4 - G1	G1 1/4 - G1	---	8,6
	BSP-SAĞ (RH)	1150ix-027-215 D	G 1 1/2	G 1 1/2	G 1 1/4	38	108	62	29	105	78	62	245	55	---	141	13	---	---	G3/4 - G1	G1 1/4 - G1	2	8,6
	BSP-SOL (LH)	1150ix-027-216 D	G 1 1/2	G 1 1/2	G 1 1/4	38	108	62	29	105	78	62	245	55	---	141	13	---	---	G3/4 - G1	G1 1/4 - G1	2	8,6
	METRİK-SAĞ (RH)	1150ix-027-315 D	M50 x 1,5	G 1 1/2	G 1 1/4	38	108	56	23	105	78	62	239	55	---	141	13	---	---	G3/4 - G1	G1 1/4 - G1	2,5	8,6
	METRİK-SOL (LH)	1150ix-027-316 D	M50 x 1,5	G 1 1/2	G 1 1/4	38	108	56	23	105	78	62	239	55	---	141	13	---	---	G3/4 - G1	G1 1/4 - G1	2,5	8,6
	QR	1150ix-027-400 D	47,60	G 1 1/2	G 1 1/4	38	108	62	---	105	78	---	245	---	45	141	13	22,2	12,7	G3/4 - G1	G1 1/4 - G1	2	8,3
	QR1	1150ix-027-410 D	50	G 1 1/2	G 1 1/4	38	108	62	---	105	78	---	245	---	48	141	13	17	10	G3/4 - G1	G1 1/4 - G1	2	8,5
DN50	NPT-SAĞ (RH)	1200ix-027-117 D	2 NPT	G 2	G 1 1/2	50	118	65	29	121	99	70	285	65	---	171	17	---	---	G1 - G1 1/4	G1 1/2 - G1 1/4	---	11,4
	NPT-SOL (LH)	1200ix-027-118 D	2 NPT	G 2	G 1 1/2	50	118	65	29	121	99	70	285	65	---	171	17	---	---	G1 - G1 1/4	G1 1/2 - G1 1/4	---	11,4
	BSP-SAĞ (RH)	1200ix-027-217 D	G 2	G 2	G 1 1/2	50	118	65	29	121	99	70	285	65	---	171	17	---	---	G1 - G1 1/4	G1 1/2 - G1 1/4	2,5	11,4
	BSP-SOL (LH)	1200ix-027-218 D	G 2	G 2	G 1 1/2	50	118	65	29	121	99	70	285	65	---	171	17	---	---	G1 - G1 1/4	G1 1/2 - G1 1/4	2,5	11,4
	QR	1200ix-027-400 D	59,10	G 2	G 1 1/2	50	118	65	---	121	99	---	285	---	56,6	171	17	28,5	15,9	G1 - G1 1/4	G1 1/2 - G1 1/4	2,5	11,1
	QR1	1200ix-027-410 D	65	G 2	G 1 1/2	50	118	65	---	121	99	---	285	---	63	171	17	17,5	10	G1 - G1 1/4	G1 1/2 - G1 1/4	2,5	11,4
DN65	NPT-SAĞ (RH)	1250ix-027-121 D	2 1/2 NPT	G 2 1/2	G 2	60	149	71	30	133	101	87	305	79	---	182	18	---	---	G1 1/4 - G1 1/2	G2 - G1 1/2	---	19,1
	NPT-SOL (LH)	1250ix-027-122 D	2 1/2 NPT	G 2 1/2	G 2	60	149	71	30	133	101	87	305	79	---	182	18	---	---	G1 1/4 - G1 1/2	G2 - G1 1/2	---	19,1
	BSP-SAĞ (RH)	1250ix-027-221 D	G 2 1/2	G 2 1/2	G 2	64	149	71	30	133	101	87	305	79	---	182	18	---	---	G1 1/4- G1 1/2	G2 - G1 1/2	2,5	19,1
	BSP-SOL (LH)	1250ix-027-222 D	G 2 1/2	G 2 1/2	G 2	64	149	71	30	133	101	87	305	79	---	182	18	---	---	G1 1/4 - G1 1/2	G2 - G1 1/2	2,5	19,1
	QR	1250ix-027-400 D	72,21	G 2 1/2	G 2	60	149	71	---	133	101	---	305	---	69,7	182	18	28,5	19	G1 1/4 - G1 1/2	G2 - G1 1/2	2,5	18,6
	QR1	1250ix-027-410 D	85	G 2 1/2	G 2	64	149	71	---	133	101	---	305	---	82	182	18	17	10	G1 1/4 - G1 1/2	G2 - G1 1/2	2,5	19,4
DN80	NPT-SAĞ (RH)	1300ix-021-123 D	3 NPT	G 3	G 2 1/2	75	177	83	35	160	125	108	368	99	---	230	20	---	---	G1 1/2 - G2	G2 1/2 - G2	---	33,5
	NPT-SOL (LH)	1300ix-021-124 D	3 NPT	G 3	G 2 1/2	75	177	83	35	160	125	108	368	99	---	230	20	---	---	G1 1/2 - G2	G2 1/2 - G2	---	33,5
	BSP-SAĞ (RH)	1300ix-021-223 D	G 3	G 3	G 2 1/2	75	177	83	35	160	125	108	368	99	---	230	20	---	---	G1 1/2 - G2	G2 1/2- G2	2,5	33,5
	BSP-SOL (LH)	1300ix-021-224 D	G 3	G 3	G 2 1/2	75	177	83	35	160	125	108	368	99	---	230	20	---	---	G1 1/2 - G2	G2 1/2 - G2	2,5	33,5
	QR	1300ix-021-400 D	87,35	G 3	G 2 1/2	75	177	83	---	160	125	---	368	---	84,2	230	20	34	22,2	G1 1/2 - G2	G2 1/2 - G2	2,5	32,5
	QR1	1300ix-021-410 D	105	G 3	G 2 1/2	75	177	83	---	160	125	---	368	---	102	230	20	20	12	G1 1/2 - G2	G2 1/2 - G2	2,5	34,2
	QR2	1300ix-021-420 D	105	G 3	G 2 1/2	75	177	83	---	160	125	---	368	---	102	230	20	34	30	G1 1/2 - G2	G2 1/2 - G2	2,5	34,1